

Citations, Acknowledgements, and References

[Download latest version](#)

Generated:10/5/2012 1:10:11 PM

Data as of 09/24/2012; Processed 09/24/2012

This is a beta release of the NSCN Database products. Several features of the database, data submissions guidelines and quality checks are still under development. Please send any feedback to nscn-support@george.lbl.gov.

Acknowledgement	
	NRCS Jan/2011
	This work benefited from extensive data contributions to the National Soil Carbon Network from the USDA Natural Resources Conservation Service, National Cooperative Soil Survey.
Citation	
	Boby_Mack
	Boby, L.A., Schuur, E.A.G., Mack, M.C., Verbyla, D., Johnstone, J.F., 2010. Quantifying fire severity, carbon, and nitrogen emissions in Alaska's boreal forest. Ecological Applications 20(6), 1633-1647.
	Bockheim
	Bockheim, J., Walker, D., Everett, L., Nelson, F., Shiklomanov, N., 1998. Soils and cryoturbation in moist nonacidic and acidic tundra in the Kuparuk River Basin, arctic Alaska, USA. Arctic and Alpine Research 30(2), 166-174.
	Bockheim, J.G., Everett, L., Hinkel, K.M., Nelson, F.E., Brown, J., 1999. Soil Organic Carbon Storage and Distribution in Arctic Tundra, Barrow, Alaska. Soil Science Society of America Journal 63, 934-940.
	Bockheim, J.G., Hinkel, K.M., Nelson, F.E., 2001. Soils of the Barrow region, Alaska. Polar Geography 25(3), 163-181.
	Bockheim, J.G., Hinkel, K.M., Nelson, F.E., 2003. Predicting carbon storage in tundra soils of arctic Alaska. Soil Science Society of America Journal 67, 948-950.
	Bockheim, J., Hinkel, K., Eisner, W., Dai, X., Peterson, K., 2004. Carbon pools and accumulation rates in an age-series of soils in drained thaw-lake basins, Arctic Alaska. Soil Science Society of America Journal 68(2), 697-704.
	Bonanza LTER
	Van Cleve, K., Dyrness, C.T., Marion, G.M., Erickson, R., 1993. Control of soil development on the Tanana River floodplain, interior Alaska. Canadian Journal of Forest Research 23, 941-955.

		Yarie, John. 1998. Soil physical and chemical properties based on genetic horizon from 4 replicate pits placed around the replicate LTER control plots sampled in 1988 and 1989., Bonanza Creek LTER - University of Alaska Fairbanks. BNZ:134, http://www.lter.uaf.edu/data_detail.cfm?datafile_pkey=134 .
Jorgenson_ARCN		
		Jorgenson, M.T., Swanson, D.K., Macander, M. 2001. Ecological subsections of Noatak National Preserve. 73.
		Jorgenson, M. T., Roth, J. E., Miller, P. F., Macander, M. J., Duffy, M. S., Wells, A. F., Frost, G. V. and Pullman, E. R. 2009. An Ecological Land Survey and Landcover Map of the Arctic Network. National Park Service, CO, NPS/ARCN/NRTR—2009/270. 307 p.
Jorgenson_NPS		
		Jorgenson, M.T., J. Roth, T. Miller, E. Pullman, T. Cater, M. Duffy, W. Davis, M. Macander, and J. Grunblatt. 2008. Ecological Land Classification and Mapping of the Wrangells-St. Elias National Park and Preserve. Natural Resource Technical Report, NPS/WRST/NRTR-2008/094. National Park Service. Anchorage, AK.
Jorgenson_YKDE		
		Jorgenson, M.T. 2000. Hierarchical organization of ecosystems at multiple spatial scales on the Yukon-Kuskokwim Delta, Alaska, U.S.A.. Arctic, Antarctic, and Alpine Research. 32:221-239.
Kane		
		Kane, Evan. 2004. Soil carbon stabilization along productivity gradients in interior Alaska: Summer 2003, Bonanza Creek LTER - University of Alaska Fairbanks. BNZ:132, http://www.lter.uaf.edu/data_detail.cfm?datafile_pkey=132 .
		Valentine, David. 2004. Soil profiles along productivity gradients in interior Alaska: Summer 2003, Bonanza Creek LTER - University of Alaska Fairbanks. BNZ:133, http://www.lter.uaf.edu/data_detail.cfm?datafile_pkey=133 .
		Kane, E.S., Valentine, D.W., Schuur, E.A.G., Dutta, K., 2005. Soil carbon stabilization along climate and stand productivity gradients in black spruce forests of interior Alaska. Canadian Journal of Forest Research 35(9), 2118-2129.
		Kane, E.S., Vogel, J.G., 2009. Patterns of total ecosystem carbon storage with changes in soil temperature in boreal black spruce forests. Ecosystems 12(2), 322-335.
LBNL		
		Multi-Resolution Land Characteristics Consortium: National land cover database 2001. < http://www.mrlc.gov/nlcd2006.php > (Verified 20 Aug. 2012).
		Mishra, U. and Riley, W.J. 2012. Alaskan soil carbon stocks: spatial variability and dependence on environmental factors, Biogeosciences Discuss., 9, 5695-5718, doi:10.5194/bgd-9-5695-2012, 2012
Lu_LTER		
		Michaelson, G.J., Ping, C.L., Kimble, J.M., 1996. Carbon storage and distribution in tundra soils of arctic Alaska, U.S.A. Arctic and Alpine Research 28(4), 414-424.

	Ping, C.L., Michaelson, G.J., Kimble, J.M., Everett, L.R., 2002. Organic carbon stores in Alaska soils. In: R. Lal, J.M. Kimble, R. Follet (Eds.), Agricultural Practices and Policies of Carbon Sequestration in Soils. Lewis Publishers, Boca Raton, LA, pp. 485–494.
	Ping, Chien-Lu. 2000. Soil Horizon Descriptions/Classification and Lab Analysis, Bonanza Creek LTER - University of Alaska Fairbanks. BNZ:149, http://www.lter.uaf.edu/data_detail.cfm?datafile_pkey=149 .
	Ping, C.L., Clark, M.H., Swanson, D.K., 2004. Cryosols in Alaska. In: J.M. Kimble (Ed.), Cryosols: Permafrost-affected soils. Springer-Verlag, Berlin, pp. 71–94.
	Ping, C.L., Michaelson, G.J., Packee, E.C., Stiles, C.A., Swanson, D.K., Yoshikawa, K., 2005. Soil catena sequences and fire ecology in the boreal forest of Alaska. <i>Soil Science Society of America Journal</i> 69(6), 1761.
Lu_PIMA	
	Ping, C.L., Michaelson, G.J., Kane, E.S., Packee, E.C., Stiles, C.A., Swanson, D.K., Zaman, N.D., 2010. Carbon stores and biogeochemical properties of soils under black spruce forest, Alaska. <i>Soil Science Society of America Journal</i> 74(3), 969.
Max Planck Institute for Biogeochemistry- Jena	
	Gobron N, Pinty F, Melin M, Taberner M, Verstraete M, Robustelli M, Widlowski J. 2007. Evaluation of the MERIS/ENVISAT FAPAR product. <i>Advances in Space Research</i> 39: 105-115.
	Jung M, Reichstein M, Bondeau A. 2009. Towards global empirical upscaling of FLUXNET eddy covariance observations: validation of a model tree ensemble approach using a biosphere model. <i>Biogeosciences</i> 6: 2001-2013.
	Lasslop G, Reichstein M, Papale D, Richardson A, Arneth A, Barr A, Stoy P, Wohlfahrt G. 2010. Separation of net ecosystem exchange into assimilation and respiration using a light response curve approach: critical issues and global evaluation. <i>Global Change Biology</i> 16: 187-208.
	Reichstein M, Falge E, Baldocchi D, Papale D, Aubinet M, Berbigier P, Bernhofer C, Buchmann N, Gilmanov R, Granier A, Grunwald T, Havrankova K, Ilvesniemi H, Janous D, Knohl A, Laurila T, Lohila A, Loustau D, Matteucci G, Meyers T, Miglietta F, Ourcival J, Pumpanen J, Rambal S, Rotenberg E, Sanz M, Tenhunen J, Seufert G, Vaccari F, Vesala T, Yakir D, Valentini R. 2005. On the separation of net ecosystem exchange into assimilation and ecosystem respiration: review and improved algorithm. <i>Global Change Biology</i> 11: 1424-1439.
Myers-Smith	
	Myers-Smith, Isla. 2005. Soil data for cores from a transect from the center of the BBC collapse scar into the surrounding burn, Bonanza Creek LTER - University of Alaska Fairbanks. BNZ:192, http://www.lter.uaf.edu/data_detail.cfm?datafile_pkey=192 .
	Myers-Smith, I.H., McGuire, A.D., Harden, J.W., Chapin III, F.S., 2007. Influence of disturbance on carbon exchange in a permafrost collapse and adjacent burned forest. <i>Journal of Geophysical Research</i> 112(G4), G04017.
NRCS Jan/2011	
	Soil Survey Staff, 2011. National Cooperative Soil Characterization Data. Soil Survey Laboratory, National Soil Survey Center, USDA-Natural Resources Conservation Service, Lincoln, NE. < http://ssldata.nrcc.usda.gov >. Accessed 11 January 2011.
Oak Ridge National Lab	
	Froberg et al., 2008. <i>Biogeochemistry</i> 89:151-161.

	Schuur	
		Schuur, E.A.G., Crummer, K.G., Vogel, J.G., Mack, M.C., 2007. Plant species composition and productivity following permafrost thaw and thermokarst in Alaskan tundra. <i>Ecosystems</i> 10(2), 280-292.
		Schuur, Edward. 2009. The impact of permafrost thaw on ecosystem carbon balance: Eight Mile Lake soil carbon and nitrogen., Bonanza Creek LTER - University of Alaska Fairbanks. BNZ:366, http://www.lter.uaf.edu/data_detail.cfm?datafile_pkey=366 .
University of Nevada- Reno		
		Johnson, D.W., D.E. Todd, Jr., and V.R. Tolbert. 2003. Changes in ecosystem carbon and nitrogen in a loblolly pine plantation over the first 18 years. <i>Soil Sci. Soc. Amer. J.</i> 67: 1594-1601.
USGS Buell		
		G.R. Buell, H.W. Markewich, R. Kulisek, S. Pollard, and T.T. Cook. Site-Specific Soil-Carbon (S3C) Database for Mineral Soils of the Mississippi River Basin, USA. USGS Open File Report 2004-1227.
USGS Harden		
		Harden, Jennifer. 2008. Bonanza Creek moisture gradient soil core data: 2004., Bonanza Creek LTER - University of Alaska Fairbanks. BNZ:334, http://www.lter.uaf.edu/data_detail.cfm?datafile_pkey=334 .
		Manies, K.L., Survey, G., 2004. Soil data from Picea mariana stands near Delta Junction, Alaska of different ages and soil drainage type, US Geological Survey Open File Report 2004-1271. US Geological Survey.
		Neff, J., Harden, J., Gleixner, G., 2005. Fire effects on soil organic matter content, composition, and nutrients in boreal interior Alaska. <i>Canadian Journal of Forest Research</i> 35(9), 2178-2187.
		Harden, J.W., Manies, K.L., Turetsky, M.R., Neff, J.C., 2006. Effects of wildfire and permafrost on soil organic matter and soil climate in interior Alaska. <i>Global Change Biology</i> 12(12), 2391-2403.
		Harden, Jennifer. 2008. Delta Junction fire-chronosequence soil database: carbon, nitrogen, bulk density, and other properties, Bonanza Creek LTER - University of Alaska Fairbanks. BNZ:336, http://www.lter.uaf.edu/data_detail.cfm?datafile_pkey=336 .
		O'Donnell, J., Harden, J., McGuire, A., Kanevskiy, M., Jorgenson, M., Xu, X., 2011. The effect of fire and permafrost interactions on soil carbon accumulation in an upland black spruce ecosystem of interior Alaska: implications for post-thaw carbon loss. <i>Global Change Biology</i> 17, 1461-1474.
USGS Harden 1		
		Harden J, Fries T, Huntington T. 1999. MS Basin Carbon Project: Upland soil database for sites in Yazoo Basin, northern MS. USGS Open file report 99-319. Usage : use Harden as primary citation, consult Huntington for additional info if needed.
Vogel		
		Vogel, Jason. 2007. Black spruce C cycling study along a temperature gradient in interior Alaska, Bonanza Creek LTER - University of Alaska Fairbanks. BNZ:304, http://www.lter.uaf.edu/data_detail.cfm?datafile_pkey=304 .

	Vogel, J.G., Bond-Lamberty, B.P., Schuur, E.A.G., Gower, S.T., Mack, M.C., O'Connell, K.E.B., Valentine, D.W., Ruess, R.W., 2008. Carbon allocation in boreal black spruce forests across regions varying in soil temperature and precipitation. <i>Global Change Biology</i> 14(7), 1503-1516.
	Kane, E.S., Vogel, J.G., 2009. Patterns of total ecosystem carbon storage with changes in soil temperature in boreal black spruce forests. <i>Ecosystems</i> 12(2), 322-335.

Reference

Oak Ridge National Lab	Froberg et al., 2008. Biogeochemistry 89:151-161.
USGS Buell	http://pubs.usgs.gov/of/2004/1227/
USGS Harden 1	Huntington T, Harden J, Dabney S, Marion D, Alonso C, Sharpe J, Fries T. 1998. SOIL, ENVIRONMENTAL, AND WATERSHED MEASUREMENTS IN SUPPORT OF CARBON CYCLING STUDIES IN NORTHWESTERN MISSISSIPPI. USGS Open file report 98-501